



ATTESTATION

of conformity with European Directives

BV LCIE CHINA Number N°2466AS11BUTO57706
Product DC EV Charging Station
Reference See Annex 01 Model list on page 03

Trademark



Issued to Zhejiang Benyi New Energy Co.,Ltd.
Address Shuanghuanglou Industrial Zone, Beibaixiang Yueqing, P.R. China
Manufacturer Zhejiang Benyi New Energy Co.,Ltd.
Address Shuanghuanglou Industrial Zone, Beibaixiang Yueqing, P.R. China
Technical characteristics See Annex 01 Model list on page 03

The submitted sample of the above equipment has been tested according to following European Directive and following standards:

RE Directive 2014/53/EU

Standards	Report number	Report date
Article 3.1(a) Safety: EN 61851-23:2014 in conjunction with EN 61851-1:2011	BUTO-ESH-P24091897-001	11/22/2024
Article 3.1(a) Health: EN IEC 62311:2020, EN 50665:2017	BUTO-ESH-P24091897B-7	11/12/2024
Article 3.1(b) EMC: EN 301 489-1 V2.2.3 (2019-11) EN 301 489-3 V2.3.2 (2023-01) EN 301 489-17 V3.2.4 (2020-09) EN 301 489-52 V1.2.1 (2021-11) EN IEC 61851-21-2:2021	BUTO-ESH-P24091897B-2 BUTO-ESH-P24091897B-1	11/12/2024 11/12/2024
Article 3.2 Radio: EN 300 330 V2.1.1 (2017-02) EN 300 328 V2.2.2 (2019-07) EN 301 511 V12.5.1 (2017-03) EN 301 908-1 V15.2.1 (2023-01) EN 301 908-2 V13.1.1 (2020-06) EN 301 908-13 V13.2.1 (2022-02)	BUTO-ESH-P24091897B-6 BUTO-ESH-P24091897B-5 BUTO-ESH-P24091897B-4 BUTO-ESH-P24091897B-3	11/12/2024 11/12/2024 11/12/2024 11/12/2024

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document, are related to the tested specimen of the described electrical sample.



The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive

This verification does not imply assessment of the production of the product

Shanghai (P.R. China), November 27th, 2024.

Product Line Manager

Charlie CHEN

Charlie chen

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document is related to the tested specimen of the described electrical s

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document, are related to the tested specimen of the described electrical sample.

Annex 1 Model list

Model list:

Model name	Parameters of input and output	Protection class	Radio function	Mass
BBDC60-D	Input: AC 380-415V, 102A, 50/60Hz, Output: 2*CCS, Maximum power 60kw, DC 150-1000V, Max dc200A for each CCS2, -30°C to 50°C	IP55 IK10 Class I	Wifi, RFID, 2G/3G/4G	95kg
BBDC40-D	Input: AC 380-415V, 102A, 50/60Hz, Output: 2*CCS, Maximum power 60kw, DC 150-1000V, Max dc133A for each CCS2, -30°C to 50°C	IP55 IK10 Class I	Wifi, RFID, 2G/3G/4G	85kg
BBDC60-S	Input: AC 380-415V, 102A, 50/60Hz, Output: Maximum power 60kw, DC 150-1000V, Max dc200A, -30°C to 50°C	IP55 IK10 Class I	Wifi, RFID, 2G/3G/4G	85kg
BBDC40-S	Input: AC 380-415V, 102A, 50/60Hz, Output: Maximum power 60kw, DC 150-1000V, Max dc133A, -30°C to 50°C	IP55 IK10 Class I	Wifi, RFID, 2G/3G/4G	75kg